

Make	Model	Same as	Work that may be needed
Aldens	670	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Argentine	1909	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Armory Gun co.		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Bay state	single	H&R Round Tang	Early model round tang is design we have part #300-919
Belgium	Mauser	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Belknap	B-64	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Belknap	B-68	Savage 94	Minor fitting required confirm is scalloped reciever design
Belknap	B-68D	Savage 94	Minor fitting required confirm is scalloped reciever design
Bellmore Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Big state	single	H&R Round Tang	Early model round tang is design we have part #300-920
Brazilian	1908	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
BRNO	Mauser	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
BRNO	VZ-24	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Browning	FN	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
C.I.L.	233	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
C.I.L.	607	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
C.I.L.	710	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
C.I.L.	830	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Central arms Dbl	(drawbolt model)	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Central arms Dbl	Drawbolt model	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Central arms Dbl	Sideplate model	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Centurion	FN	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Chicago	Long range warden	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series

Make	Model	Same as	Work that may be needed
Chicago long range wonder		Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Cn newport dbl		Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Coast to Coast	843 2 DS	Savage 340	Boys 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Columbia	single	H&R Round Tang	Early model round tang is design we have part #300-921
Continental Arms	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Costa Rica	1910	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Cotter & Co	33	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Cotter & co	167	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Cotter & co	424	Savage 24	Minor fitting required confirm is scalloped reciever design
Cotter & co	489	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Cotter & co	M/33	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Crescent	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Cumberland Arms		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Czech	VZ-24	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Diamond Arms	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Dread Naught	single	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Eastern Arms	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Eastern arms	101.1	Savage 94	Minor fitting required confirm is scalloped reciever design
Eastern Arms	single	H&R Round Tang	Early model round tang is design we have part #300-922
Eastern arms Dbl	Drawbolt model	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Eastern arms Dbl	Sideplate model	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Eclipse hercules	(drawbolt model)	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Eclipse hercules	Sideplate model	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Eddystone	P-17	Enfield P-17	Can use Military or sporter design
Elgin Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Elmira Arms Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Empire	No 60	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Enders	Royal(side plate model)	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Enders	special	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Enfield	P-14	Enfield P-17	0

Make	Model	Same as	Work that may be needed
Essex	single	H&R Round Tang	Early model round tang is design we have part #300-923
Essex Dbl	(drawbolt model)	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Essex Dbl	Sideplate model	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
FN	400	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
FN	mauser	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Formost	See JC PENNEY for crossover		
Fox	107	Savage 94	Minor fitting required confirm is scalloped reciever design
Fox	107B	Savage 94	Minor fitting required confirm is scalloped reciever design
Fox	107C	Savage 94	Minor fitting required confirm is scalloped reciever design
Fox	Model B	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Fox	Model B-C	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Fox	Model B-D	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Fox	Model B-E	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Fox	Model BST	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Fox	SERIES F	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Fox	SERIES H	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Gamble Skogkmo	567	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Glenfield	60	Savage 99	need to confirm pistol grip or straight grip design stock
Glenfield	65	Savage 99	need to confirm pistol grip or straight grip design stock
Glenfield	30A	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Glenfield	M/35	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Glenfield	60	Marlin new model 60	Final fitting of receiver will be needed along with sanding and finish.
Glenfield	M75	Marlin new model 60	Final fitting of receiver will be needed along with sanding and finish.
Glenfield	M75C	Marlin new model 60	Final fitting of receiver will be needed along with sanding and finish.
H&R	148	H&R Round Tang	Early model round tang is design we have part #300-924
H&R	480	H&R Round Tang	Early model round tang is design we have part #300-925
H&R	580	H&R Round Tang	Early model round tang is design we have part #300-926
H&R	1900	H&R Round Tang	Early model round tang is design we have part #300-927
H&R	1905	H&R Round Tang	Early model round tang is design we have part #300-928
H&R	1908	H&R Round Tang	Early model round tang is design we have part #300-929
H&R	1915	H&R Round Tang	Early model round tang is design we have part #300-930
H&R	Folding	H&R Round Tang	Early model round tang is design we have part #300-931
H&R	Heavy Breech	H&R Round Tang	Early model round tang is design we have part #300-932
H&R	M/47	H&R Round Tang	Early model round tang is design we have part #300-933
H&R	M/48 Topper	H&R Round Tang	Early model round tang is design we have part #300-934
H&R	small frame single	H&R Round Tang	Early model round tang is design we have part #300-935
H&R	Standard lightweight single	H&R Round Tang	Early model round tang is design we have part #300-936
H&R	standard single	H&R Round Tang	Early model round tang is design we have part #300-937

Make	Model	Same as	Work that may be needed
H&R	Top Ribbed	H&R Round Tang	Early model round tang is design we have part #300-938
Hartford Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Hercules	Range Dbl	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Hercules	Ranger	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Hercules	50	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Hercules	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Hercules dbl		Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Howa	1500 LA or SA	Weatherby vanguard	If customer has magnum action barrel contour is different. Minor fitting of bolt and safety may be needed.
HSB & CO		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Husqvarna	mauser	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
IAC	93/97	Winchester 97 Stk	Fitting sanding and finish is needed
Interarms	1500	Weatherby vanguard	If customer has magnum action barrel contour is different. Minor fitting of bolt and safety may be needed.
Interarms	Mark X	Remington 598	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Interarms	mini-Mark X	Remington 599	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Ithaca	49(single shot)	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Iver johnson	Sideplate model	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
J.C.Penney	2935	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
J.C.Penney	3040	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
JC Higgins	50	Large ring mauser	Produced by fabrique nationale (Confirm measurements for appropriate action)
JC Higgins	101.1	Savage 94	Minor fitting required confirm is scalloped reciever design
JC Higgins	101.7	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
JC Higgins	101.7	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang
JC Higgins	5100	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
JC Higgins	5100	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang
JC Higgins	6670H	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
JcPenney	6670	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
King Nitro Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Knickerbocker		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.

Make	Model	Same as	Work that may be needed
Knoxall Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
kuandian	97	Winchester 97 Stk	Fitting sanding and finish is needed
Long Tom	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Magnum research	Magnalite	Ruger 10/22	
Marlin	89	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	91	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	92	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	93	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	97	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	375	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	444	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	455	Large ring mauser	confirm receiver ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Marlin	795	Marlin new Model 60	795 is clip feed, 60 is tube feed clip cut out must be installed and ramrod hole filled
Marlin	990	Marlin new model 60	Final fitting of receiver will be needed along with sanding and finish.
Marlin	1894	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	1895	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	7000	Marlin new Model 60	Marlin 7000 is heavy barreled clip feed model 60 is tube feed clip cut out must be installed and ramrod hole filled
Marlin	1894C	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	1894CS	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	1894M	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	1894S	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	1895SS	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	1895SS	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	30A	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	30AS	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	30GT	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	336A	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	336C	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	336CS	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	336ER	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	336T	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements

Make	Model	Same as	Work that may be needed
Marlin	336TS	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	36 Ranger	Marlin 81	Final fitting of receiver will be needed along with sanding and finish.
Marlin	39A	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	39M	Marlin 36 & 39 Mountie sg	need to confirm pistol grip or straight grip design stock as well as tang measurements
Marlin	444S	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	444SS	Marlin 336 pg	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Marlin	60SB	Marlin new Model 60	Final fitting of receiver will be needed along with sanding and finish.
Marlin	60S-CF	Marlin new Model 60	Final fitting of receiver will be needed along with sanding and finish.
Marlin	60SN	Marlin new Model 60	Final fitting of receiver will be needed along with sanding and finish.
Marlin	60SS	Marlin new Model 60	Final fitting of receiver will be needed along with sanding and finish.
Marlin	60W	Marlin new model 60	Final fitting of receiver will be needed along with sanding and finish.
Marlin	795SS	Marlin new Model 60	795SS is clip feed, 60 is tube feed clip cut out must be installed and ramrod hole filled
Marlin	80C	Marlin 81	Final fitting of receiver will be needed along with sanding and finish.
Marlin	80DL	Marlin 81	Final fitting of receiver will be needed along with sanding and finish.
Marlin	80E	Marlin 81	Final fitting of receiver will be needed along with sanding and finish.
Marlin	81C	Marlin 81	Final fitting of receiver will be needed along with sanding and finish.
Marlin	81DL	Marlin 81	Final fitting of receiver will be needed along with sanding and finish.
Marlin	99C	Marlin new model 60	Final fitting of receiver will be needed along with sanding and finish.
Marlin	99M1	Marlin new model 60	Final fitting of receiver will be needed along with sanding and finish.
Marshwood	(drawbolt model)	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Marshwood Dbl	Sideplate model	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Mauser	93	Small ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website.for small ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Mauser	94	Small ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website.for small ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Mauser	95	Small ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website.for small ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Mauser	96	Small ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website.for small ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Mauser	1910	Small ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website.for small ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Mauser	1916	Small ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website.for small ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Mauser	1938	Small ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website.for small ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel

Make	Model	Same as	Work that may be needed
			confirm receiver ring and center to center on action screws match up, to what is on the website. for small ring mauser. Bolt cut will be needed and possible relief
Mexican	98	Small ring mauser	cut for safety, barrel channel may need work depending on contour of barrel
Mississippi valley arms	(drawbolt model)	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Mississippi valley arms	Sideplate model	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Mohawk BHS co Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Montana	99 Long action	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Montana	99 Short action	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Montgomery Wards	732	Mossberg 810	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Montgomery Wards	734	Mossberg 810	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Montgomery Wards	765	Mossberg 810	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Montgomery Wards	766	Mossberg 810	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Montgomery Wards	767	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Montgomery Wards	768	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Montgomery Wards	780	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Montgomery Wards	782	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Montgomery Wards	M.865	Mossberg 402	Final fitting of receiver will be needed along with sanding and finish.
Mossberg	400	Mossberg 402	Final fitting of receiver will be needed along with sanding and finish.
Mossberg	835	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Mossberg	402 palemino	Mossberg 402	Final fitting of receiver will be needed along with sanding and finish.
Mossberg	1500 LA or SA	Weatherby vanguard	Barrel contours may be slightly different than what we have, If magnum action barrel contour is different. Minor fitting of bolt and safety may be needed. VIP product best for this gun.
Mossberg	1700 LA or SA	Weatherby vanguard	Barrel contours may be slightly different than what we have, If magnum action barrel contour is different. Minor fitting of bolt and safety may be needed. 1700 has detachable clip that will need to be fitted to our stock. VIP product best for this gun.
Mossberg	500 20ga	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Mossberg	800 A	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Mossberg	800 B	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Mossberg	800 C	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Mossberg	800 CSM	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Mossberg	800 CVT	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Mossberg	810 A	Mossberg 810	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Mossberg	810 B	Mossberg 810	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
			confirm receiver ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief
Musketeer	mauser	Large ring mauser	cut for safety, barrel channel may need work depending on contour of barrel

Make	Model	Same as	Work that may be needed
National Arms co Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
New Haven	900 A	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
New Haven	900 B	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
New Haven	910 A	Mossberg 810	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
New Haven	910 B	Mossberg 810	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
New port	Dbl	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
New york arms co Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Nitro	Dbl	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Norinco	97	Winchester 97 Stk	Fitting sanding and finish is needed
Norinco	M-14	M1 A stock and HG	
Otasco	30	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Otasco	65	Savage 99	need to confirm pistol grip or straight grip design stock
Oxford dbl		Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Paragon	CS	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Paragon	Dbl	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Parker Hale	1200	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Peerless Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Persian	98	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Peruvian	1909	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Peruvian	1935	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Piedmont Dbl		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Plymouth		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Ranger	400	stevens 311.	Confirm if type 1 or type 2 in cross reference guide
Ranger	101 Dbl	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Ranger dbl	(common drawbolt model)	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Remington	700 Muzzleloader	Remington 700 Adl SA	Barrel channel needs to be opened up to accept the larger M/L Barrel and Ramrod cut needs installed.

Make	Model	Same as	Work that may be needed
Remington	788 .243	Remington 788 LA	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Remington	788 .308	Remington 788 LA	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Remington	788 30-30	Remington 788 SA	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Remington	788 6MM	Remington 788 LA	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Remington	788 .22-.250	Remington 788 SA	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Remington	788 .222	Remington 788 SA	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Remington	788 .223	Remington 788 SA	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Remington	P-17	Enfield P-17	Can use Military or sporter design
Remington	30	Enfield P-17	Model 30 is a commercial P-17 with straightened floor plate(fitting required)
Remington	78	Remington 700 adl	Model 78 is an early version of the ADL insure they have a short or long action fitting of action should be minimal.
Remington	878	Remington 870 12ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	700 Alaskan TI	Remington 700 BDL	Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle.This model has heavy contour barrel fitting is required.
Remington	700 CDL	Remington 700 BDL	Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle.
Remington	700 Mountain LSS	Remington 700 BDL	Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle.This model has heavy contour barrel fitting is required.
Remington	700 Sendero	Remington 700 BDL	These are Long action Rifles with a heavy contour barrel fitting of barrel is required and bedding is advised for magnum calibers.
Remington	700 SPS	Remington 700 BDL	Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle.
Remington	700 SPS Varmint	Remington 700 BDL	These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted
Remington	700 Varmint SF	Remington 700 BDL	These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted
Remington	700 VL SS	Remington 700 BDL	These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted
Remington	700 VLS	Remington 700 BDL	These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted
Remington	700 VS SF II	Remington 700 BDL	These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted
Remington	700 XCR	Remington 700 BDL	Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle.
Remington	700 XHR	Remington 700 BDL	Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle.
Remington	M/121	Remington M/12	Minor fitting needed of stabilizer pin
Remington	M/4	Remington 870 20ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	M/552	Remington 870 20ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	M/572	Remington 870 20ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	M/6	Remington 870 20ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.

Make	Model	Same as	Work that may be needed
Remington	M/74	Remington 870 20ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	M/740	Remington 870 20ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	M/76	Remington 870 20ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	M/760	Remington 870 20ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	M/7600	Remington 870 20ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	Model 7 CDL	Remington Model 7	If you have a Magnum caliber barrel channel will need to be opened up to accomadate larger barrel
Remington	Model 7 Predator	Remington Model 7	barrel channel will need to be opened up to accomadate larger barrel offered on this model
Remington	Model 700 American	Remington 700 BDL	barrel channel will need to be opened up to accomadate larger barrel offered on this model
Remington	Model 700 AWR II	Remington 700 BDL	barrel channel will need to be opened up to accomadate larger barrel offered on this model
Remington	spt 58	Remington 870 12ga	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	SPT 58	Remington 870 12ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	spt 78	Remington 870 12ga	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	spt pump	Remington 870 12ga	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Remington	SPT PUMP	Remington 870 12ga Stk	Our stocks do not have Monte Carlo unless noted Final fitting sanding and finish are needed.
Revelation	350A	Savage 94	Minor fitting required confirm is scalloped reciever design
Riverside arms	single	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Riverside Dbl		Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Rossi	Puma 92	Win 92 stk	
Sako		Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel.
Santa Barbara		Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Savage	11	Savage 10	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Savage	39	M/39/59A	Our part #300-161 is made with out the trigger guard cutout, inlitted trigger guard will need to be fit by customer.
Savage	93	savage 93-e	Receiver area on 93 is larger than the 93-e, need dowel rod to open receiver area and slight fitting by safety to insure does not bind.
Savage	107	Savage 94	Minor fitting required confirm is scalloped reciever design
Savage	111	savage 110	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.

Make	Model	Same as	Work that may be needed
Savage	112	savage 110	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Savage	116	Savage 110	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Savage	116	savage 110	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Savage	219	Savage 24	Minor fitting required confirm is scalloped reciever design
Savage	219	Savage 94	Minor fitting required confirm is scalloped reciever design
Savage	220	Savage 24	Minor fitting required confirm is scalloped reciever design
Savage	220	Savage 94	Minor fitting required confirm is scalloped reciever design
Savage	311	stevens 311	Confirm if type 1 or type 2 in cross reference guide
Savage	330	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Savage	331	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Savage	911		
Savage	3151	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Savage	5100	stevens 311	Confirm if type 1 or type 2 in cross reference guide
Savage	107B	Savage 94	Minor fitting required confirm is scalloped reciever design
Savage	107C	Savage 94	Minor fitting required confirm is scalloped reciever design
Savage	12 FV	Savage 10	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Savage	12 FVSS	Savage 10	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Savage	12 Low Profile	Savage 10	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.

Make	Model	Same as	Work that may be needed
Savage	12BVSS	Savage 10	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Savage	16FS	Savage 10	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Savage	170A	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match. Boyds parts do not have monte carlo
Savage	170B	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match. Boyds parts do not have monte carlo
Savage	170C	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match. Boyds parts do not have monte carlo
Savage	219B	Savage 24	Minor fitting required confirm is scalloped reciever design
Savage	219L	Savage 94	Minor fitting required confirm is scalloped reciever design
Savage	220B	Savage 24	Minor fitting required confirm is scalloped reciever design
Savage	220B	Savage 94	Minor fitting required confirm is scalloped reciever design
Savage	220L	Savage 94	Minor fitting required confirm is scalloped reciever design
Savage	3151 ST	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Savage	340 E	Savage 340	Boyds 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Savage	39A	M/39/59A	Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer.
Savage	59B	M/39/59A	Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer.
Savage	59C	M/39/59A	Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer.
Savage	93 All series minus LH	93-E	This stock will work but will require Minor fitting of your receiver to the stock as Savage shortened the overall length of the receiver on the E-model, if you have the heavy barrel option; the area of difference is in the area where the barrel and receiver meet. The receiver area on the old style receiver extends out approx 3 more inches than new style. this area needs to be opened up using a dowel rod and sand paper. If you have the small barrel you will not have to open up receiver area. Also these stocks are cut for a metal trigger guard offered by savage. You will need to purchase this along with the trigger guard screws for proper assembly if you do not have an inlet trigger guard on your original stock. The E-design receiver has been produced since Mid 2007
Savage	M/10 M/L	Savage Model 10	Barrel channel needs to be opened up to accept the larger M/L Barrel and Ramrod cut needs installed.
Savage	M/30 series A	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/30 series B	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.

Make	Model	Same as	Work that may be needed
Savage	M/30 series C	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/30 series D	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/30 series E	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/30 series F	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/30 series H	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/30 series J	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/30 series T	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/67 series	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/720 f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Savage	M/745	Savage 720	We offer a Semi inlet 720 stock Fitting to reciever and sanding wood to reciever and finish will be required.
Savage	M/745 f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Savage	M/750	Savage 720	We offer a Semi inlet 720 stock Fitting to reciever and sanding wood to reciever and finish will be required.
Savage	M/750 f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Savage	M/750C	Savage 720	We offer a Semi inlet 720 stock Fitting to reciever and sanding wood to reciever and finish will be required.
Savage	M/750C f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Savage	M/77 series	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Savage	M/775 f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Savage	MKI .22 cal sigle shot	93-E	This stock will work but will require Minor fitting of your receiver to the stock as Savage shortened the overall length of the receiver on the E-model, if you have the heavy barrel option; the area of difference is in the area where the barrel and receiver meet. The receiver area on the old style receiver extends out approx 3 more inches than new style. this area needs to be opened up using a dowel rod and sand paper. If you have the small barrel you will not have to open up receiver area. Also these stocks are cut for a metal trigger guard offered by savage. You will need to purchase this along with the trigger guard screws for proper assembly if you do not have an inlet trigger guard on your original stock. The E-design receiver has been produced since Mid 2007. Our stock are inletted for magazine cutout this area would need to be filled in.
Savage	MKII 22.cal all series minus LH	93-E	This stock will work but will require Minor fitting of your receiver to the stock as Savage shortened the overall length of the receiver on the E-model, if you have the heavy barrel option; the area of difference is in the area where the barrel and receiver meet. The receiver area on the old style receiver extends out approx 3 more inches than new style. this area needs to be opened up using a dowel rod and sand paper. If you have the small barrel you will not have to open up receiver area. Also these stocks are cut for a metal trigger guard offered by savage. You will need to purchase this along with the trigger guard screws for proper assembly if you do not have an inlet trigger guard on your original stock. The E-design receiver has been produced since Mid 2007

Make	Model	Same as	Work that may be needed
Savage	95	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Savage	105	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Savage	107	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Savage	116	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Savage	340	Savage 340	Boys 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Savage	340 B	Savage 340	Boys 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Savage	340 C	Savage 340	Boys 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Savage	340 D	Savage 340	Boys 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Savage	340 V	Savage 340	Boys 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Savage	99 F/E Featherweight	Savage 99 F/E	Fitting is required This forend is designed so it can be fit to the different varieties of forends that were available on the 99.
Savage	99 F/E Solid frame	Savage 99 F/E	Fitting is required This forend is designed so it can be fit to the different varieties of forends that were available on the 99.
Savage	99 F/E Takedown	Savage 99 F/E	Fitting is required This forend is designed so it can be fit to the different varieties of forends that were available on the 99.
Savage	99 F/E Takedown	Savage 99 F/E	Fitting is required This forend is designed so it can be fit to the different varieties of forends that were available on the 99.
Savage	Early 94	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Savage	Early 94R	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Savage/stevens	22/410	Savage 24	Minor fitting required confirm is scalloped reciever design
Sears	45	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Sears	49.448	Savage 99	need to confirm pistol grip or straight grip design stock
Sears	53	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears	54	Winchester 92	Fitting sanding and finish is needed
Sears	54	Winchester 94	Fitting sanding and finish is needed
Sears	97	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.451	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Sears	101.7	Stevens 311	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang
Sears	102.25	Savage/Stevens 520	
Sears	103.451	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Sears	5100	Stevens 311	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang
Sears	101.512220.	stevens 311.	Confirm if type 1 or type 2 in cross reference guide
Sears	101.512230.	stevens 311.	Confirm if type 1 or type 2 in cross reference guide
Sears	101.7C	Stevens 311	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang
Sears	103.450/	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Sears	53A	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears	94AC	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	M/45	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Sears	M30	Savage/Stevens 520	
Sears	101.1	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.1004	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.10041	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.51004	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.51007	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.51024	Savage 94	Minor fitting required confirm is scalloped reciever design

Make	Model	Same as	Work that may be needed
Sears	101.51026	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.51044	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.5127	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.51451	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Sears	101.51452	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Sears	101.51454	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Sears	101.51472	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Sears	101.53521	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Sears	101.53527	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Sears	101.6	Stevens 59A	
Sears	101.1700/	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.1750/	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears	101.1760/	Savage 94	Minor fitting required confirm is scalloped reciever design
Sears 100	273.532141	Winchester 94	Fitting sanding and finish is needed
Sears 200 12,16 & 20ga. Stock	2732.2011	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.21010	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.2160	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.2250	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.2251	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.2280	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.4310	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.4320	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.4340	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.4410	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.4420	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.4450	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.514010	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.514011	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.514020	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.514040	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.514050	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.514051	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 200 12,16 & 20ga. Stock	2732.514210	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish

Make	Model	Same as	Work that may be needed
Sears 300 12,16 & 20ga Stk	273.1350	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.21010	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.21550	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.2500	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.2540	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.32060	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521050	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521051	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521080	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521090	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521160	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521161	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521250	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521251	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521260	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521280	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521290	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.52151	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521580	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521680	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521710	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521770	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.521780	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 300 12,16 & 20ga Stk	273.523251	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Sears 54	273.53419	Winchester 94	Fitting sanding and finish is needed
Sears 54	273.2120	Winchester 94	Fitting sanding and finish is needed
Sears 54	273.532140	Winchester 94	Fitting sanding and finish is needed
Sears 54	273.810	Winchester 94	Fitting sanding and finish is needed
Sears 54	273.811	Winchester 94	Fitting sanding and finish is needed
Sears T.W. 73	273.1390	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.140	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.1830	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.1840	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model

Make	Model	Same as	Work that may be needed
Sears T.W. 73	273.1850	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.1860	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.1870	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.31010	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.31060	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.32010	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.32020	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.32030	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.32040	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.532061	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.532071	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.532081	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.53403	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.53406	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Sears T.W. 73	273.53409	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Shapleigh	Dbl	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Smith &Wesson	1500 LA or SA	Weatherby vanguard	Barrel contours may be slightly different than what we have, If magnum action barrel contour is different.Minor fitting of bolt and safety may be needed.VIP product best for this gun.
Smith &Wesson	1700 LA or SA	Weatherby vanguard	Barrel contours may be slightly different than what we have, If magnum action barrel contour is different.Minor fitting of bolt and safety may be needed.1700 has detachable clip that will need to be fitted to our stock.VIP product best for this gun.
Spanish	FR-7	SM Ring mauser	We do not cut for the bayonet tube, action is sm ring design based on 1916
Spanish	FR-8	SM Ring mauser	We do not cut for the bayonet tube, action is small ring design based on 1943
Springfield	107	Savage 94	Minor fitting required confirm is scalloped reciever design
Springfield	174	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY.See our scetches to match.Boyd's parts do not have monte carlo
Springfield	840	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Springfield	107B	Savage 94	Minor fitting required confirm is scalloped reciever design
Springfield	107C	Savage 94	Minor fitting required confirm is scalloped reciever design
Springfield	840E	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Springfield	M/720 f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Springfield	M/750	Savage 720	We offer a Semi inlet 720 stock Fitting to reciever and sanding wood to reciever and finish will be required.
Springfield	M/750 f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Springfield	M/775 f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Springfield	1915	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series

Make	Model	Same as	Work that may be needed
Springfield	M/745B	Savage 720	We offer a Semi inlet 720 stock Fitting to reciever and sanding wood to reciever and finish will be required.
Springfield	M/745B f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Springfield	M/745C	Savage 720	We offer a Semi inlet 720 stock Fitting to reciever and sanding wood to reciever and finish will be required.
Springfield	M/745C f/e	Rem 11 f/e	Final fitting sanding and finish needed.
Springfield Dbl		stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Springfield Dbl		Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Springfield	67	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
St.louis arms	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
St.louis arms		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Star leader		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Stevens	107	Savage 94	Minor fitting required confirm is scalloped reciever design
Stevens	240	Savage 94	Minor fitting required confirm is scalloped reciever design
Stevens	325	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Stevens	530	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Stevens	530	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Stevens	1915	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Stevens	5100	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Stevens	107B	Savage 94	Minor fitting required confirm is scalloped reciever design
Stevens	107C	Savage 94	Minor fitting required confirm is scalloped reciever design
Stevens	200 LA	Savage 110	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Stevens	200 SA	Savage 10	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Stevens	325A	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Stevens	325B	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Stevens	325C	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Stevens	39	M/39/59A	Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer.
Stevens	240	Savage 24	Minor fitting required confirm is scalloped reciever design
Stevens	39A	M/39/59A	Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer.
Stevens	59B	M/39/59A	Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer.

Make	Model	Same as	Work that may be needed
Stevens	59C	M/39/59A	Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer.
Stevens	M/50/59A	M/39/59A	Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer.
Stevens Dbl	No Model #	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Stevens Dbl	No model #	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Stevens no model #	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Talo	176 DL	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Talo	176 VR	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Ted Williams	See Sears for crossover		
Ten star		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Texas Ranger	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Triumph	Dbl	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Turkish	1903	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Turkish	1933	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Turkish 8mm	1938	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
U.S Arms		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
U.S.KRAG	1896	Krag Rifle Stock	
U.S.KRAG	1898	Krag Rifle Stock	
Venezuelian	mauser	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Vulcan Arms		American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
VZ	500	Yugo mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for yugo mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Wards	5100	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Wards Hercules	Single barrel	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Wards hercules Dbl		stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Wards triumph	52	Stevens 315.	Need to confirm crosses with 315 may also be type 1 311. Confirm in Reference Guide
Wards triumph	SD52A	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang

Make	Model	Same as	Work that may be needed
Wards Western Field	EJN-757	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Wards western field	M/50	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Wards western field	M/51	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Wards western field	M/51A	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Wards western field	M/52	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Western Auto	101.53521	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Western Auto	103.45	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Auto	103.451	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Auto	230	Savage 340	Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock.
Western Auto	250	savage 110	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Western Auto	300	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Western Auto	310	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Auto	350	Savage 94	Minor fitting required confirm is scalloped reciever design
Western Auto	355	Savage 94	Minor fitting required confirm is scalloped reciever design
Western Auto	2280	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Auto	2280	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Auto	2282	marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Auto	2282	Marlin 39 mountie	need to confirm pistol grip or straight grip design stock as well as tang measurements
Western Auto	200-2280	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Auto	200-2282	marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Auto	200-2550	marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Auto	200-2554	marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Auto	250A	savage 110	See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.

Make	Model	Same as	Work that may be needed
			See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout.
Western Auto	251D	savage 110	
Western Auto	300-300AC	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Western Auto	300f	Savage/stevens 67 or 77	FITS A SAVAGE MODEL 67 ORDER Part ID 301-121 FOR RECEIVER SAFETY OR SAVAGE MODEL 77 Part ID 300-254 FOR TRIGGER GUARD SAFETY. See our scetches to match.
Western Auto	310A	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Auto	310AB	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Auto	310B	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Auto	310C	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Auto	310E	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Auto	350A	Savage 94	Minor fitting required confirm is scalloped reciever design
Western Auto	350M	Savage 94	Minor fitting required confirm is scalloped reciever design
Western Auto	355Y	Savage 94	Minor fitting required confirm is scalloped reciever design
Western Auto	M117	Mossberg 402	Final fitting of receiver will be needed along with sanding and finish.
Western Auto	M210 A	Mossberg 810	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Western Auto	M220 A	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Western Auto	M220 B	Mossberg 800	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Western Auto	SD52A	Stevens 311	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang
Western Auto	103	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Western Auto Revelation	R310	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	30	Savage/Stevens 520	
Western Field	33	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Field	85	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
Western Field	505	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	509	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	524	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	534	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	539	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	740	Marlin 336	Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed.
Western Field	10-SD247A	Savage 94	Minor fitting required confirm is scalloped reciever design
Western Field	14M-215A	Mossberg 185/85	Final fitting of receiver will be needed along with sanding and finish.
Western Field	40M-215A	Mossberg 185/85	Final fitting of receiver will be needed along with sanding and finish.
Western Field	502-26FR	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	550A	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	550AB	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	550B	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	550C	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	550E	Mossberg 500 Stock	Final fitting of receiver will be needed along with sanding and finish.
Western Field	720-A	Large ring mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for large ring mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Western Field	M025	Savage/Stevens 520	
Western Field	M23	Stevens 820	

Make	Model	Same as	Work that may be needed
Western field	SB 530	stevens 311	Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang
Western Field	SB300	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang
Western Field	SB300 C	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang
Western Field	SB311 C	stevens 311.	Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang
Western Field	SB85TA	Savage/Stevens 85/89	Parts require final fitting to receiver sanding and finish
White Powder Wonder	single	H&R Round Tang	Early model round tang is design we have part #300-939
Winchester	25	Winchester M/12	same stock should bolt on little to no fitting.
Winchester	53	Winchester 92	Fitting sanding and finish is needed
Winchester	62	Winchester 1890/1906 stk & F/E	Note:Model 62 Original forend is longer then the 1890/06
Winchester	250	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	670	Winchester M/70 post-64	Would require purchase of M-70 floorplate assembly Model 670 is blind magazine style(toploader)
Winchester	1300	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1400	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1400	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1200 & 1300 Deer	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1200 & 1300 Magnum	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1300 black shadow	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1300 Ranger	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1300 Turkey	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1300 XTR Defender	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	140 stk	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1400 Deer	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	1400 Mark II	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	62A	Winchester 1890/1906 stk & F/E	Note: Model 62A Original forend is longer then the 1890/06
Winchester	M/70 Coyote	Winchester M/70 post-64	Coyote has one piece floor plate and larger barrel contour this will need to be fit to our VIP stock
Winchester	M/70 Super shadow	Winchester M/70 post-64	Need to confirm that they have a hinged floor plate or blind magazine Model
Winchester	P-17	Enfield P-17	Can use Military or sporter design
Winchester	Pre-64 94	Winchester 92	Fitting sanding and finish is needed
Winchester	Pre-war 94	Winchester 92	Fitting sanding and finish is needed
Winchester	Slug hunter	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Winchester	XTR	Winchester M/1200 Stk	Stocks will need final fitting sanding and finish
Worthington	Dbl	stevens 311.	Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series
Worthington	Sideplate model	American Dbl/ Crescent Dbl(side plate model)	Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish.
Yugoslavian	M24	Yugo mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for yugo mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Yugoslavian	M47	Yugo mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for yugo mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Yugoslavian	M48	Yugo mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for yugo mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel

Make	Model	Same as	Work that may be needed
Yugoslavian	M48A	Yugo mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for yugo mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel
Yugoslavian	M52C	Yugo mauser	confirm reciever ring and center to center on action screws match up, to what is on the website for yugo mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel