

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

The screenshot shows a web browser window with the address bar displaying <http://www.boydsgunstocks.com/...>. The search bar contains the text "Search across one or more PDF files". A red arrow points to the search bar. The search results table is as follows:

| Make | Model | Same as | Work that may be needed |
|------------------------|-------------|---|--|
| Adams & Bennett barrel | F-34 Barrel | | Same as the ER Shaw #1 Contour |
| Aldens | 670 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Argentine | 1909 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Armory Gun Co. | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |

On the right side of the browser, there is a "Search PDF" sidebar. It shows "Finished searching for: Aldens" and "Total instances found: 1". A "New Search" button is visible.

| Make | Model | Same as | Work that may be needed |
|------------------------|-------------|---|--|
| Adams & Bennett barrel | F-34 Barrel | | Same as the ER Shaw #1 Contour |
| Aldens | 670 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Argentine | 1909 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Armory Gun Co. | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Bay State | Single | H&R Round Tang | Early model round tang is design we have part #300-919. |
| Belgium | Mauser | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Belknap | B-64 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Belknap | B-68 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Belknap | B-68D | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Bellmore Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Big State | Single | H&R Round Tang | Early model round tang is design we have part #300-919. |
| Brazilian | 1908 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| BRNO | Mauser | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| BRNO | VZ-24 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Browning | FN | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| BSA | Sporterized | Enfield P-17 | BSA offered Sporterized enfield actions some with 5-shot magazine others were modified to 4 shot magazines |
| C.I.L. | 233 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| C.I.L. | 607 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|---------------------------|-------------------|--|---|
| C.I.L. | 710 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| C.I.L. | 830 | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Central ArmsDbI | drawbolt model | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Central ArmsDbI | drawbolt model | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Central ArmsDbI | Sideplate model | American DbI/ Crescent DbI (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Centurion | FN | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Charles Daly | Mark X | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Charles Daly | Mark X | Remington 598 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Charles Daly | Mini-Mark X | Remington 599 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Chicago | Long Range Warden | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Chicago Long Range Wonder | | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Cn Newport DBL | | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Coast to Coast | 660 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Coast to Coast | 843 2 DS | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Columbia | Single | H&R Round Tang | Early model round tang is design we have part #300-919. |
| Continental Arms | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Costa Rica | 1910 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Cotter & Co | 33 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Cotter & Co | 167 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Cotter & Co | 424 | Savage 24 | Minor fitting required confirm it is scalloped receiver design |
| Cotter & Co | 489 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Cotter & Co | M/33 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Crescent | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Cumberland Arms | | American DbI/ Crescent DbI (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Czech | VZ-24 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Diamond Arms | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Dickson-Howa | Golden-Bear | Weatherby Vanguard | Barrel contours may be slightly different than what we have, If magnum action barrel contour is different. Minor fitting of bolt and safety may be needed. VIP product best for this gun. trigger and safety need fit as well as slight alteration to Floor plate. Center to center on receiver screws 7 3/4" |
| Dread Naught | Single | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|------------------|-----------------------------|--|--|
| Eastern Arms | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Eastern Arms | 101.1 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Eastern Arms | Single | H&R Round Tang | Early model round tang is design we have part #300-919. |
| Eastern Arms Dbl | drawbolt model | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Eastern Arms Dbl | Sideplate model | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Eclipse Hercules | drawbolt model | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Eclipse Hercules | Sideplate model | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Eddystone | P-17 | Enfield P-17 | Can use Military or sporter design |
| Elgin Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Elmira Arms Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Empire | No 60 | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Enders | Royal (side plate model) | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Enders | Special | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Enfield | P-14 | Enfield P-17 | Can use Military or sporter design |
| Essex | Single | H&R Round Tang | Early model round tang is design we have part #300-919. |
| Essex Dbl | drawbolt model | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Essex Dbl | Sideplate model | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| FN | 400 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| FN | Mauser | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Formost | See JC PENNEY for crossover | | |
| Fox | 107 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Fox | 107B | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Fox | 107C | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Fox | Model B | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Fox | Model B-C | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Fox | Model B-D | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Fox | Model B-E | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Fox | Model BST | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Fox | SERIES F | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Fox | SERIES H | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|----------------|-----------------------------|--|--|
| Gamble Skogkmo | 567 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Glenfield | 60 | Savage 99 | need to confirm pistol grip or straight grip design stock |
| Glenfield | 65 | Savage 99 | need to confirm pistol grip or straight grip design stock |
| Glenfield | 30A | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Glenfield | M/35 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Glenfield | 60 | Marlin new model 60 | Final fitting of receiver will be needed along with sanding and finish. trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Glenfield | M75 | Marlin new model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Glenfield | M75C | Marlin new model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Golden State | Mauser | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| H&R | 148 | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | 480 | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | 580 | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | 1900 | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | 1905 | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | 1908 | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | 1915 | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | Folding | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | Heavy Breech | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | M/47 | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | M/48 Topper | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | small frame single | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | Standard Lightweight Single | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | Standard Single | H&R Round Tang | Early model round tang is design we have part #300-919. |
| H&R | Top Ribbed | H&R Round Tang | Early model round tang is design we have part #300-919. |
| Hartford Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Hercules | Range Dbl | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Hercules | Ranger | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Hercules | 50 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Hercules | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Hercules Dbl | | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Howa | 1500 LA or SA | Weatherby Vanguard | If customer has magnum action barrel contour is different. Minor fitting of bolt and safety may be needed. |
| HSB & CO | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Husqvarna | Mauser | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| IAC | 93/97 | Winchester 97 Stk | Fitting sanding and finish is needed |
| Interarms | 1500 | Weatherby Vanguard | If customer has magnum action barrel contour is different. Minor fitting of bolt and safety may be needed. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-----------------|-----------------|--|--|
| Interarms | Mark X | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Interarms | Mark X | Remington 598 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Interarms | mini-Mark X | Remington 599 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Ithaca | 37 | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 87 | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 37 Deerslayer | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 37 field grade | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 37 Magnum | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 37D | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 87 Deerslayer | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 87 Deluxe | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 87 Magnum | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 87 Turkey | Ithaca 37 12ga Stk | Final fitting of receiver will be needed along with sanding and finish. |
| Ithaca | 49(single shot) | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Iver Johnson | Sideplate model | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| J.C.Penney | 2935 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| J.C.Penney | 3040 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| JC Higgins | 50 | Large Ring Mauser | Produced by barbeque national (Confirm measurements for appropriate action) |
| JC Higgins | 51 | Large Ring Mauser | Produced by Husqvarna (Confirm measurements for appropriate action) |
| JC Higgins | 101.1 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| JC Higgins | 101.7 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| JC Higgins | 101.7 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| JC Higgins | 5100 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| JC Higgins | 5100 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| JC Higgins | 6670H | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| J.C.Penney | 6670 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| J.C.Penney | 6870H | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| King Nitro Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Knickerbocker | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Knoxall Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Kuandian | 97 | Winchester 97 Stk | Fitting sanding and finish is needed |
| Long Tom | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Magnum Research | Magnalite | Ruger 10/22 | |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------|--------------|----------------------------|--|
| Marlin | 89 | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 91 | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 92 | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 93 | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 97 | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 375 | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 444 | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 455 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Marlin | 795 | Marlin new Model 60 | 795 is clip feed, 60 is tube feed clip cut out must be installed and ramrod hole filled |
| Marlin | 990 | Marlin new model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Marlin | 1894 | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 1895 | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 7000 | Marlin new Model 60 | Marlin 7000 is heavy barreled clip feed model 60 is tube feed clip cut out must be installed and ramrod hole filled |
| Marlin | 1894C | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 1894CS | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 1894M | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 1894S | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 1895SS | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 1895SS | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 30A | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 30AS | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 30GT | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 336A | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 336C | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 336CS | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 336ER | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 336T | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 336TS | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 36 Ranger | Marlin 81 | Final fitting of receiver will be needed along with sanding and finish. |
| Marlin | 39A | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|----------------|-----------------|--|--|
| Marlin | 39M | Marlin 36 & 39 Mountie sag | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Marlin | 444S | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 444SS | Marlin 336 pg | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Marlin | 60SB | Marlin New Model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Marlin | 60S-CF | Marlin New Model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Marlin | 60SN | Marlin New Model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Marlin | 60SS | Marlin New Model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Marlin | 60W | Marlin New Model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Marlin | 795SS | Marlin New Model 60 | 795SS is clip feed, 60 is tube feed clip cut out must be installed and ramrod hole filled |
| Marlin | 80C | Marlin 81 | Final fitting of receiver will be needed along with sanding and finish. |
| Marlin | 80DL | Marlin 81 | Final fitting of receiver will be needed along with sanding and finish. |
| Marlin | 80E | Marlin 81 | Final fitting of receiver will be needed along with sanding and finish. |
| Marlin | 81C | Marlin 81 | Final fitting of receiver will be needed along with sanding and finish. |
| Marlin | 81DL | Marlin 81 | Final fitting of receiver will be needed along with sanding and finish. |
| Marlin | 99C | Marlin new model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Marlin | 99M1 | Marlin new model 60 | Final fitting of receiver will be needed along with sanding and finish. Trigger guards do very, we offer U-shaped rear tang trigger, we offer tube feed magazine |
| Marlin | 925 | Marlin 917 | Our stocks have inlet trigger guard and are for Heavy barrel tube feed |
| Marlin | 917 all series | Marlin 917 | Our stocks have inlet trigger guard and are for Heavy barrel tube feed |
| Marlin | 980 series | Marlin 917 | Our stocks have inlet trigger guard and are for Heavy barrel tube feed |
| Marlin | 981 series | Marlin 917 | Our stocks have inlet trigger guard and are for Heavy barrel tube feed |
| Marlin | 982 series | Marlin 917 | Our stocks have inlet trigger guard and are for Heavy barrel tube feed |
| Marsh wood | Drawbolt model | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Marsh wood Dbl | Sideplate model | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Mauser | 93 | Small Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for small ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Mauser | 94 | Small Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for small ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Mauser | 95 | Small Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for small ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Mauser | 96 | Small Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for small ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------------------|-----------------|--|--|
| Mauser | 1910 | Small Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for small ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work <u>depending on contour of barrel</u> |
| Mauser | 1916 | Small Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for small ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work <u>depending on contour of barrel</u> |
| Mauser | 1938 | Small Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for small ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work <u>depending on contour of barrel</u> |
| Mexican | 98 | Small Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for small ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work <u>depending on contour of barrel</u> |
| Mississippi Valley Arms | drawbolt model | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Mississippi Valley Arms | Sideplate model | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Mohawk BHS Co Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Montana | 99 Long action | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Montana | 99 Short action | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Montgomery Wards | 732 | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Montgomery Wards | 734 | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Montgomery Wards | 765 | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Montgomery Wards | 766 | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Montgomery Wards | 767 | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Montgomery Wards | 768 | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Montgomery Wards | 780 | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Montgomery Wards | 782 | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Montgomery Wards | M.865 | Mossberg 402 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 400 | Mossberg 402 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 600 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 835 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 402 Palomino | Mossberg 402 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 85 | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 1500 LA or SA | Weatherby Vanguard | Barrel contours may be slightly different than what we have, If magnum action barrel contour is different. Minor fitting of bolt and safety may be needed. VIP product best for this gun. |
| Mossberg | 1700 LA or SA | Weatherby Vanguard | Barrel contours may be slightly different than what we have, If magnum action barrel contour is different. Minor fitting of bolt and safety may be needed. 1700 has detachable clip that will need to be fitted to our stock. VIP product best for this gun. |
| Mossberg | 185D | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 185D-A | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 185D-B | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 185D-C | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|----------------------|--------------|--|--|
| Mossberg | 185K | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 185K-A | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 185K-B | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 500 20ga | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Mossberg | 800 A | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Mossberg | 800 B | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Mossberg | 800 C | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Mossberg | 800 CSM | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Mossberg | 800 CVT | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Mossberg | 810 A | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Mossberg | 810 B | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Mossberg | 85D | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Musketeer | Mauser | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| National Arms Co Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| New Haven | 285 | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| New Haven | 290 | Mossberg 190 | Final fitting of receiver will be needed along with sanding and finish. |
| New Haven | 900 A | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| New Haven | 900 B | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| New Haven | 910 A | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| New Haven | 910 B | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| New Port | Dbl | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| New York Arms Co Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Nitro | Dbl | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Norinco | 94 | Winchester 94 | Fitting sanding and finish is needed |
| Norinco | 97 | Winchester 97 Stk | Fitting sanding and finish is needed |
| Norinco | M-14 | M1 A stock and HG | |
| Otasco | 30 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Otasco | 65 | Savage 99 | need to confirm pistol grip or straight grip design stock |
| Oxford Dbl | | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Palmetto | 11 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Paragon | CS | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Paragon | Dbl | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Parker Hale | 1200 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|--------------|-----------------------|--|--|
| Peerless Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Persian | 98 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Peruvian | 1909 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Peruvian | 1935 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Piedmont Dbl | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Plymouth | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Ranger | 400 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide |
| Ranger | 101 Dbl | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Ranger Dbl | common drawbolt model | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Remington | 721 | Remington 700 BDL | order our JRS or can be fitted to a 700 stock |
| Remington | 722 | Remington 700 BDL | order our JRS or can be fitted to a 700 stock |
| Remington | 725 | Remington 700 BDL | fitting required floor plate different |
| Remington | 700 Muzzleloader | Remington 700 ADL SA | Barrel channel needs to be opened up to accept the larger M/L Barrel and Ramrod cut needs installed. |
| Remington | 788 .243 | Remington 788 LA | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Remington | 788 .308 | Remington 788 LA | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Remington | 788 30-30 | Remington 788 SA | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Remington | 788 6MM | Remington 788 LA | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Remington | 788 .22-.250 | Remington 788 SA | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Remington | 788 .222 | Remington 788 SA | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Remington | 788 .223 | Remington 788 SA | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Remington | P-17 | Enfield P-17 | Can use Military or sporter design |
| Remington | 4 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 6 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 30 | Enfield P-17 | Model 30 is a commercial P-17 with straightened floor plate (fitting required) |
| Remington | 74 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 740 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 760 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 878 | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------|---------------------------------------|---------------------------------|--|
| Remington | 7400 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 7600 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 cantilever | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 Deer | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 F Premier | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 Field | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 lightweight Magnum | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 LT-20 | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 Magnum Duck Gun | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 Magnum Special Purpose | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 Special Field | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 special Purpose | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100 Tournament | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100D | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100SA Skeet | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100SC Skeet | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100TA Trap | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100TB Trap | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 1100TD Trap | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-48A | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. 1100 stocks came with large frames and small frames. We offer large frame stocks fitting can be done to use with small framed receivers. |
| Remington | 11-48A Riot | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-48B | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-48D | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-48F | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-48F | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-48RSS | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-48SA skeet | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-87 premier | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-87 premier skeet | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-87 premier Special purchase Magnum | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------|--|---------------------------------|---|
| Remington | 11-87 premier Special purpose Deer Gun | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-87 premier sporting Clays | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-87 premier SPS Deer | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-87 premier SPS Turkey | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 11-87 premier Trap | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 4D | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 4F | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 6D | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 6D Peerless | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 6F Premier | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 6F Premier Gold | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | 700 Alaskan TI | Remington 700 BDL | Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle. This model has heavy contour barrel fitting is required. |
| Remington | 700 CDL | Remington 700 BDL | Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle. |
| Remington | 700 Mountain LSS | Remington 700 BDL | Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle. This model has heavy contour barrel fitting is required. |
| Remington | 700 Sendero | Remington 700 BDL | These are Long action Rifles with a heavy contour barrel fitting of barrel is required and bedding is advised for magnum calibers. |
| Remington | 700 SPS | Remington 700 BDL | Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle. |
| Remington | 700 SPS Varmint | Remington 700 BDL | These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted |
| Remington | 700 Varmint SF | Remington 700 BDL | These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted |
| Remington | 700 VL SS | Remington 700 BDL | These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted |
| Remington | 700 VLS | Remington 700 BDL | These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted |
| Remington | 700 VS SF II | Remington 700 BDL | These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted |
| Remington | 700 VTR | Remington 700 BDL | These rifles are Short action Rifles with Varmint contour barrels Fitting of barrel is required unless noted |
| Remington | 700 XCR | Remington 700 BDL | Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle. |
| Remington | 700 XHR | Remington 700 BDL | Confirm Long or short action, Magnum Rifles will require minor fitting of barrel to stock also we advise glass bedding action to gain the greatest accuracy out of your rifle. |
| Remington | 7400 Carbine | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 7400 Special Purpose | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 7400D Peerless | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------|----------------------|---------------------------------|--|
| Remington | 7400F Premier | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 7400F Premier Gold | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 740A | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 740ADL | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 740BDL | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 742ADL | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 742BDL | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 742C Carbine | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 742CDL | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 742D Peerless | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 742F Premier | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 742F Premier Gold | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 760 Carbine | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 7600 carbine | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 7600 Peerless | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 7600 Special Purpose | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 7600F Premier | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 7600F Premier Gold | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 760ADL | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 760BDL | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 760CDL | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 760D Peerless | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 760F Premier | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 760F Premier gold | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted. Final fitting sanding and finish are needed. |
| Remington | 78 Sportsman | Remington 700 ADL SA | Model 78 is an early version of the ADL insure they have a short or long action fitting of action should be minimal. |
| Remington | 878A | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | M/121 | Remington M/12 | Minor fitting needed of stabilizer pin |
| Remington | M/4 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | M/552 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | M/572 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | M/6 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|----------------|--------------------|---------------------------------|--|
| Remington | M/74 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | M/740 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | M/76 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | M/760 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | M/7600 | Remington 870 20ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Model 7 CDL | Remington Model 7 | If you have a Magnum caliber barrel channel will need to be opened up to accommodate larger barrel |
| Remington | Model 7 Predator | Remington Model 7 | barrel channel will need to be opened up to accommodate larger barrel offered on this model |
| Remington | Model 700 American | Remington 700 BDL | barrel channel will need to be opened up to accommodate larger barrel offered on this model |
| Remington | Model 700 AWR II | Remington 700 BDL | barrel channel will need to be opened up to accommodate larger barrel offered on this model |
| Remington | Sportsman auto | Remington 1100 12,20 & 16ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman 48D | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman 58ADL | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman 58BDL | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman 58D | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman 58F | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman 48A | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman Field | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman Riot | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | Sportsman Skeet | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Remington | SPT 78 | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Revelation | 350A | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Riverside Arms | Single | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Riverside Dbl | | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Rossi | 92 | Winchester 92 SG | Fitting sanding and finish is needed |
| Rossi | 94 | Winchester 94 | Fitting sanding and finish is needed |
| Rossi | Puma 92 | Win 92 Stk | Fitting sanding and finish is needed |
| Ruger | 77 Hawkeye | Ruger 77 MKII | Confirm is a long or short action, please review our read prior to ordering. |
| | | | Barrel contours may be slightly different than what we have, If magnum action barrel contour is different, minor fitting of bolt and safety may be needed. VIP product best for this gun. Trigger and safety need fit, we advise purchasing a Weatherby Vanguard or Howa 1500 floor plate assembly as L61 floor plate is smaller. View photos and measure action |
| Sako | L61R | Weatherby Vanguard | |
| | | | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel. |
| Sako | | Large Ring Mauser | |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-----------------|-------|--------------------|---|
| Sako Fiberglass | L61R | Weatherby Vanguard | Barrel contours may be slightly different than what we have, If magnum action barrel contour is different. Minor fitting of bolt and safety may be needed.VIP product best for this gun. trigger and safety need fit, we advise purchasing a Weatherby vanguard or howa 1500 floor plate assembly as L61 floor plate is smaller. view photos and measure action |
| Sako Finnbear | L61R | Weatherby Vanguard | Barrel contours may be slightly different than what we have, If magnum action barrel contour is different. Minor fitting of bolt and safety may be needed.VIP product best for this gun. trigger and safety need fit, we advise purchasing a Weatherby vanguard or howa 1500 floor plate assembly as L61 floor plate is smaller. view photos and measure action |
| Santa Barbara | | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Savage | 11 | Savage 10 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 39 | M/39/59A | Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer. |
| Savage | 93 | savage 93-e | Receiver area on 93 is larger than the 93-e, need dowel rod to open receiver area and slight fitting by safety to insure does not bind. |
| Savage | 107 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 111 | savage 110 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 112 | savage 110 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 116 | Savage 110 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 116 | savage 110 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 219 | Savage 24 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 219 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 220 | Savage 24 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 220 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 311 | Stevens 311 | Confirm if type 1 or type 2 in cross reference guide |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------|----------------|-------------------------|---|
| Savage | 330 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Savage | 331 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Savage | 911 | | |
| Savage | 3151 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Savage | 5100 | Stevens 311 | Confirm if type 1 or type 2 in cross reference guide |
| Savage | 107B | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 107C | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 12 FV | Savage 10 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 12 FVSS | Savage 10 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 12 Low Profile | Savage 10 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 12BVSS | Savage 10 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 16FS | Savage 10 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Savage | 170A | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | 170B | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | 170C | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | 219B | Savage 24 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 219L | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 220B | Savage 24 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 220B | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 220L | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Savage | 3151 ST | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------|------------------------|---|---|
| Savage | 340 E | Savage 340.225, .223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Savage | 39A | M/39/59A | Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer. |
| Savage | 59B | M/39/59A | Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer. |
| Savage | 59C | M/39/59A | Our part #300-161 is made with out the trigger guard cutout, inletted trigger guard will need to be fit by customer. |
| | | | This stock will work but will require Minor fitting of your receiver to the stock as Savage shortened the overall length of the receiver on the E-model, if you have the heavy barrel option; the area of difference is in the area where the barrel and receiver meet. The receiver area on the old Style receiver extends out approx 3 more inches than new Style. This area needs to be opened up using a dowel rod and sand paper. If you have the small barrel you will not have to open up receiver area. Also these stocks are cut for a metal trigger guard offered by Savage. You will need to purchase this along with the trigger guard screws for proper assembly if you do not have an inlet trigger guard on your original stock. The E-design receiver has been produced since Mid 2007. |
| Savage | 93 All series minus LH | 93-E | |
| Savage | M/10 M/L | Savage Model 10 | Barrel channel needs to be opened up to accept the larger M/L Barrel and Ramrod cut needs installed. |
| Savage | M/30 series A | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/30 series B | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/30 series C | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/30 series D | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/30 series E | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/30 series F | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/30 series H | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/30 series J | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/30 series T | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/67 series | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/720 f/e | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/720 Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |
| Savage | M/745 | Savage 720 | We offer a Semi inlet 720 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage | M/745 f/e | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/745 Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |
| Savage | M/750 | Savage 720 | We offer a Semi inlet 720 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage | M/750 f/e | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/750 Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|--------|----------------------------------|--|--|
| Savage | M/750C | Savage 720 | We offer a Semi inlet 720 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage | M/750C f/e | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/750C Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |
| Savage | M/755A | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/755A | Savage 755 | We offer a Semi inlet 755 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage | M/755SC | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/755SC | Savage 755 | We offer a Semi inlet 755 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage | M/77 series | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Savage | M/775 Lightweight | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/775 Lightweight | Savage 755 | We offer a Semi inlet 755 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage | M/775 magnum | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/775 magnum | Savage 755 | We offer a Semi inlet 755 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage | M/775 SC Lightweight | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/775 SC Lightweight | Savage 755 | We offer a Semi inlet 755 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage | M/775 Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |
| Savage | MKI .22 cal single shot | 93-E | This stock will work but will require Minor fitting of your receiver along with plugging of the clip access hole on the 93 stock. Also will need to fill in/glass bed barrel on non-heavy barrel guns as slight gap is apparent. There are other minor variations to the stock as Savage shortened the overall length of the receiver on the E-Model, if you have the heavy barrel option; the area of difference is in the area where the barrel and receiver meet. The receiver area on the old style receiver extends out approx 3 more inches than new style. Also these stocks are cut for a metal trigger guard and floor plate offered by Savage. You will need to purchase this along with the trigger guard screws for proper assembly and fitting. The E-Design receiver has been produced since Mid 2007. Our stocks are inletted for the magazine cutout 17hmr and 22 mag. This area would need to be filled in. Advise using VIP or |
| Savage | MKII .22.cal all series minus LH | 93-E | This stock will work but will require Minor fitting of your receiver along with plugging of the clip access hole on the 93 stock. Also will need to fill in/glass bed barrel on non-heavy barrel guns as slight gap is apparent. There are other minor variations to the stock as Savage shortened the overall length of the receiver on the E-Model, if you have the heavy barrel option; the area of difference is in the area where the barrel and receiver meet. The receiver area on the old style receiver extends out approx 3 more inches than new style. Also these stocks are cut for a metal trigger guard and floor plate offered by Savage. You will need to purchase this along with the trigger guard screws for proper assembly and fitting. The E-Design receiver has been produced since Mid 2007. Our stocks are inletted for the magazine cutout 17hmr and 22 mag. This area would need to be filled in. Advise using VIP or |
| Savage | Muzzleloader | Savage 10 | Barrel channel needs to be opened up to accept the larger M/L Barrel and Ramrod cut needs installed. |
| Savage | 95 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Savage | 105 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Savage | 107 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Savage | 116 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Savage | 340 | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Savage | 340 B | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|----------------|----------------------|--|--|
| Savage | 340 C | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Savage | 340 D | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Savage | 340 V | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Savage | 99 F/E Featherweight | Savage 99 F/E | Fitting is required This forend is designed so it can be fit to the different varieties of forends that were available on the 99. |
| Savage | 99 F/E Solid frame | Savage 99 F/E | Fitting is required This forend is designed so it can be fit to the different varieties of forends that were available on the 99. |
| Savage | 99 F/E Takedown | Savage 99 F/E | Fitting is required This forend is designed so it can be fit to the different varieties of forends that were available on the 99. |
| Savage | 99 F/E Takedown | Savage 99 F/E | Fitting is required This forend is designed so it can be fit to the different varieties of forends that were available on the 99. |
| Savage | Early 94 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Savage | Early 94R | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Savage | M/775 | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/775 | Savage 755 | We offer a Semi inlet 755 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage | M/775A | Rem 11 f/e | Parts may require minor fitting |
| Savage | M/775A | Savage 755 | We offer a Semi inlet 755 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Savage/Stevens | 22/410 | Savage 24 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 45 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Sears | 49.448 | Savage 99 | need to confirm pistol grip or straight grip design stock |
| Sears | 53 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model. Modification needed for floor plate needs to be opened up. front take down screw. |
| Sears | 54 | Winchester 92 SG | Fitting sanding and finish is needed |
| Sears | 54 | Winchester 94 | Fitting sanding and finish is needed |
| Sears | 97 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.451 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Sears | 101.7 | Stevens 311 | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| Sears | 102.25 | Savage/Stevens 520 | Replacement stock with 3 1/4" tang |
| Sears | 103.451 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Sears | 203 | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| sears | 210 | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| sears | 215 | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Sears | 5100 | Stevens 311 | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| Sears | 101.512220. | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide |
| Sears | 101.512230. | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide |
| Sears | 101.7C | Stevens 311 | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| Sears | 103.450/ | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Sears | 273.510770. | Winchester 37 | Fitting sanding and finish is needed |
| Sears | 273.510780. | Winchester 37 | Fitting sanding and finish is needed |
| Sears | 273.510790. | Winchester 37 | Fitting sanding and finish is needed |
| Sears | 53A | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model. Modification needed for floor plate needs to be opened up. front take down screw. |
| Sears | 94AC | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | M/45 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Sears | M30 | Savage/Stevens 520 | Replacement stock with 3 1/4" tang |
| Sears | 101.1 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.1004 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------------------------|--------------|--|---|
| Sears | 101.10041 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.51004 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.51007 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.51024 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.51026 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.51044 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.5127 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.51451 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Sears | 101.51452 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Sears | 101.51454 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Sears | 101.51472 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Sears | 101.53521 | Savage 340.225,.223 .222 and the 30/38 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Sears | 101.53527 | Savage 340.225,.223 .222 and the 30/39 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Sears | 101.6 | Stevens 59A | |
| Sears | 101.1700/ | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.1750/ | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears | 101.1760/ | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Sears 100 | 273.532141 | Winchester 94 | Fitting sanding and finish is needed |
| Sears 200 12,16 & 20ga. Stock | 2732.2011 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.21010 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.2160 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.2250 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.2251 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.2280 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.4310 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.4320 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.4340 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.4410 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.4420 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.4450 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.514010 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.514011 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.514020 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.514040 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 200 12,16 & 20ga. Stock | 2732.514050 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|----------------------------|--------------|-------------------------|---|
| Sears 300 12,16 & 20ga Stk | 273.1310 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.1320 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.1350 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.21010 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.21550 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.2500 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.2540 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.32060 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521050 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521051 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521080 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521090 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521160 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521161 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521250 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521251 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521260 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521280 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521290 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.52151 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521580 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521680 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521710 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521770 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.521780 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 300 12,16 & 20ga Stk | 273.523251 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Sears 54 | 273.53419 | Winchester 94 | Fitting sanding and finish is needed |
| Sears 54 | 273.2120 | Winchester 94 | Fitting sanding and finish is needed |
| Sears 54 | 273.532140 | Winchester 94 | Fitting sanding and finish is needed |
| Sears 54 | 273.810 | Winchester 94 | Fitting sanding and finish is needed |
| Sears 54 | 273.811 | Winchester 94 | Fitting sanding and finish is needed |
| Sears T.W. 73 | 273.1390 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.140 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|---------------|---------------|-------------------------|--|
| Sears T.W. 73 | 273.1830 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.1840 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.1850 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.1860 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.1870 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.31010 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.31060 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.32010 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.32020 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.32030 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.32040 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.532061 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.532071 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.532081 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.53403 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.53406 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Sears T.W. 73 | 273.53409 | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Shapleigh | Dbl | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Smith &Wesson | 1500 LA or SA | Weatherby Vanguard | Barrel contours may be slightly different than what we have, If magnum action barrel contour is different. Minor fitting of bolt and safety may be needed. VIP product best for this gun. |
| Smith &Wesson | 1700 LA or SA | Weatherby Vanguard | Barrel contours may be slightly different than what we have, If magnum action barrel contour is different. Minor fitting of bolt and safety may be needed.1700 has detachable clip that will need to be fitted to our stock.VIP product best for this gun. |
| Spanish | FR-7 | SM Ring Mauser | We do not cut for the bayonet tube, action is sm ring design based on 1916 |
| Spanish | FR-8 | SM Ring Mauser | We do not cut for the bayonet tube, action is small ring design based on 1943 |
| Springfield | 107 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Springfield | 174 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Springfield | 840 | Savage 340.225,.223 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Springfield | 107B | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Springfield | 107C | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Springfield | 840E | Savage 340.225,.223 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Springfield | M/720 f/e | Rem 11 f/e | Parts may require minor fitting |
| Springfield | M/720 Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |
| Springfield | M/750 | Savage 720 | We offer a Semi inlet 720 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Springfield | M/750 f/e | Rem 11 f/e | Parts may require minor fitting |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-----------------|-------------------------|--|---|
| Springfield | M/750 Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |
| Springfield | M/775 f/e | Rem 11 f/e | Parts may require minor fitting |
| Springfield | M/775 Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |
| Springfield | 1915 dbl barrel shotgun | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Springfield | M/745B | Savage 720 | We offer a Semi inlet 720 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Springfield | M/745B f/e | Rem 11 f/e | Parts may require minor fitting |
| Springfield | M/745B Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |
| Springfield | M/745C | Savage 720 | We offer a Semi inlet 720 stock Fitting to receiver and sanding wood to receiver and finish will be required. |
| Springfield | M/745C f/e | Rem 11 f/e | Parts may require minor fitting |
| Springfield | M/745C Stk | Remington 11 T/2 Stk | Due to Variations Minor fitting may be needed |
| Springfield Dbl | | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Springfield Dbl | | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Springfield | 67 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| St.Louis Arms | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| St.Louis Arms | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Star leader | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Stevens | 107 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Stevens | 240 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Stevens | 325 | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Stevens | 530 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Stevens | 530 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Stevens | 5100 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Stevens | 107B | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Stevens | 107C | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Stevens | 1915 dbl barrel shotgun | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Stevens | 200 LA | Savage 110 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Stevens | 200 SA | Savage 10 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Stevens | 325A | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Stevens | 325B | Savage 340.225,.223 .222 and the 30/44 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Stevens | 325C | Savage 340.225,.223 .222 and the 30/45 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Stevens | 820B | Stevens 820 | |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|--------------------|-------------------------|---|--|
| Stevens | 39 | M/39/59A | Our part #300-161 is made with out the trigger guard cutout, inleted trigger guard will need to be fit by customer. |
| Stevens | 240 | Savage 24 | Minor fitting required confirm it is scalloped receiver design |
| Stevens | 39A | M/39/59A | Our part #300-161 is made with out the trigger guard cutout, inleted trigger guard will need to be fit by customer. |
| Stevens | 59B | M/39/59A | Our part #300-161 is made with out the trigger guard cutout, inleted trigger guard will need to be fit by customer. |
| Stevens | 59C | M/39/59A | Our part #300-161 is made with out the trigger guard cutout, inleted trigger guard will need to be fit by customer. |
| Stevens | M/50/59A | M/39/59A | Our part #300-161 is made with out the trigger guard cutout, inleted trigger guard will need to be fit by customer. |
| Stevens Dbl | No Model # | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Stevens Dbl | No model # | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Stevens no model # | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Talo | 176 DL | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Talo | 176 VR | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Ted Williams | See Sears for crossover | | |
| Ten Star | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Texas Ranger | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Triumph | Dbl | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Turkish | 1903 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Turkish | 1933 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Turkish 8mm | 1938 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| US Arms | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| U.S.KRAG | 1896 | Krag Rifle Stock | |
| U.S.KRAG | 1898 | Krag Rifle Stock | |
| Venezuelan | Mauser | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Vulcan Arms | | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| VZ | 500 | Yugo Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for yugo Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Wards | 5100 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1. 3 1/8" tang |
| Wards Hercules | Single barrel | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|---------------------|--------------|--|---|
| Wards hercules Dbl | | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Wards triumph | 52 | Stevens 315. | Need to confirm crosses with 315 may also be type 1 311. Confirm in reference Guide |
| Wards triumph | SD52A | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| Wards Western Field | EJN-757 | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Wards western field | M/50 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 1, 3 1/8" tang |
| Wards western field | M/51 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Wards western field | M/51A | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Wards western field | M/52 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Western Auto | 101.53521 | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Western Auto | 103.45 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Auto | 103.451 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Auto | 230 | Savage 340.225,.223 .222 and the 30/30 | Boyd's 340 stocks are inletted for the straightened floor plate design half round design needs to be inletted to stock. |
| Western Auto | 250 | savage 110 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Western Auto | 300 | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width approx 9/16th of an inch. See our sketches to match. |
| Western Auto | 310 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Auto | 350 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Western Auto | 355 | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Western Auto | 2280 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Auto | 2280 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Auto | 2282 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Auto | 2282 | Marlin 39 Mountie | need to confirm pistol grip or straight grip design stock as well as tang measurements |
| Western Auto | 200-2280 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Auto | 200-2282 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Auto | 200-2550 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Auto | 200-2554 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Auto | 250A | savage 110 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------------------|-----------|-------------------------|---|
| Western Auto | 251D | savage 110 | See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, See our measurement chart to confirm you have compatible action, this model has Varmint contour barrel, Because of Savage's wide tolerances you may have to make very slight modifications, such as shortening a screw by one or two threads or adjusting in the trigger area cutout. |
| Western Auto | 300-300AC | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width <u>approx 9/16th of an inch. See our sketches to match.</u> |
| Western Auto | 300f | Savage/Stevens 67 or 77 | ORDER Part ID 300-254 Savage M/77 with Trigger guard safety or Part ID 300-168 Savage M/67 for top receiver safety. Lower tang width <u>approx 9/16th of an inch. See our sketches to match.</u> |
| Western Auto | 310A | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Auto | 310AB | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Auto | 310B | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Auto | 310C | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Auto | 310E | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Auto | 350A | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Western Auto | 350M | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Western Auto | 355Y | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Western Auto | M117 | Mossberg 402 | Final fitting of receiver will be needed along with sanding and finish. |
| Western Auto | M210 A | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Auto | M220 A | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Auto | M220 AD | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Auto | M220 B | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Auto | M220 BD | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Auto | M220 C | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Auto | M220 CD | Mossberg 800 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Auto | SD52A | Stevens 311 | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| Western Auto | 103 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Western Auto Revelation | R310 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 30 | Savage/Stevens 520 | Replacement stock with 3 1/4" tang |
| Western Field | 33 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Field | 85 | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Western Field | 505 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 509 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 524 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 534 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 539 | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 730 | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Field | 732 | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Field | 734 | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Field | 740 | Marlin 336 | Fits a Marlin 336 pistol grip stock or 336 straight grip stock. Final fitting sanding and finish are needed. |
| Western Field | 765 | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Western Field | 766 | Mossberg 810 | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|---------------------|--------------------|--------------------------------|--|
| Western Field | 10-SD247A | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| Western Field | 14M-215A | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 40M-215A | Mossberg 185/85 | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 502-26FR | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 550A | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 550AB | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 550B | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 550C | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 550E | Mossberg 500 Stock | Final fitting of receiver will be needed along with sanding and finish. |
| Western Field | 600ERI | Remington 870 12ga Stk | Our stocks do have Monte Carlo unless noted Final fitting sanding and finish are needed. |
| Western Field | 720-A | Large Ring Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Large Ring Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Western Field | M025 | Savage/Stevens 520 | Replacement stock with 3 1/4" tang |
| Western Field | M040N | Stevens 820 | |
| Western Field | M23 | Stevens 820 | |
| Western field | SB 530 | Stevens 311 | Confirm if type 1 or type 2 in cross reference guide, This should be type 1. 3 1/8" tang |
| Western Field | SB300 | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| Western Field | SB300 C | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| Western Field | SB30A | Savage/Stevens 520 | Replacement stock with 3 1/4" tang |
| Western Field | SB311 C | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide, This should be type 2. 3 1/4" tang |
| Western Field | SB85TA | Savage/Stevens 85/89 | Parts require final fitting to receiver sanding and finish |
| Whippet | Model C | Savage 94 | Minor fitting required confirm it is scalloped receiver design |
| White Powder Wonder | Single | H&R Round Tang | Early model round tang is design we have part #300-919. |
| Winchester | 25 | Winchester M/12 | same stock should bolt on little to no fitting. |
| Winchester | 53 | Winchester 92 SG | Fitting sanding and finish is needed |
| Winchester | 62 | Winchester 1890/1906 Stk & F/E | Note: Model 62 Original forend is longer then the 1890/06 |
| Winchester | 250 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 370 | Winchester 37 | Fitting sanding and finish is needed |
| Winchester | 670 | Winchester M/70 post-64 | Would require purchase of M-70 floorplate assembly Model 670 is blind magazine style(toploader) |
| Winchester | 840 | Winchester 37 | Fitting sanding and finish is needed |
| Winchester | 1300 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 1400 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 1400 | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 1200 & 1300 Deer | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 1200 & 1300 Magnum | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 1300 black shadow | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 1300 Ranger | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 1300 Turkey | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 1300 XTR Defender | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 140 Stk | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |

Select your Search Binoculars at the top of your screen and type the MAKE of your gun to locate Makes and Models we offer,

| Make | Model | Same as | Work that may be needed |
|-------------|------------------------------|---|--|
| Winchester | 1400 Deer | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 1400 Mark II | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | 37 youth | Winchester 37 | Fitting sanding and finish is needed |
| Winchester | 370 youth | Winchester 37 | Fitting sanding and finish is needed |
| Winchester | 62A | Winchester 1890/1906 Stk & F/E | Note: Model 62A Original forend is longer then the 1890/06 |
| Winchester | 88 Early | Win early 88 | serial # prior to 82,900 Final fitting sanding and finish needed. |
| Winchester | 88 Late | Win early 88 | serial # s after 82,900 or starting with alpha character, recoil block needs fit to early 88 plus final fit sand and finish |
| Winchester | Antique or listed 94 Antique | Winchester 94. | All models we offer are for straight grip design due to variations through out the years final fitting sanding and finish required |
| Winchester | Classic or 94 classic | Winchester 94. | All models we offer are for straight grip design due to variations through out the years final fitting sanding and finish required |
| Winchester | M/70 Coyote | Winchester M/70 post-64 | Coyote has one piece floor plate and larger barrel contour this will need to be fit to our VIP stock |
| Winchester | M/70 Super shadow | Winchester M/70 post-64 | Need to confirm that they have a hinged floor plate or blind magazine Model |
| Winchester | P-17 | Enfield P-17 | Can use Military or sporter design |
| Winchester | Pre-64 94 | Winchester 92 SG | Fitting sanding and finish is needed |
| Winchester | Pre-war 94 | Winchester 92 SG | Fitting sanding and finish is needed |
| Winchester | Ranger or 94 Ranger | Winchester 94. | All models we offer are for straight grip design due to variations through out the years final fitting sanding and finish required |
| Winchester | Saddle ring carbine | Winchester 94. | All models we offer are for straight grip design due to variations through out the years final fitting sanding and finish required |
| Winchester | Slug hunter | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | Trapper | Winchester 94. | All models we offer are for straight grip design due to variations through out the years final fitting sanding and finish required |
| Winchester | Win-Tuff | Winchester 94. | All models we offer are for straight grip design due to variations through out the years final fitting sanding and finish required |
| Winchester | Wrangler and Wrangler II | Winchester 94. | All models we offer are for straight grip design due to variations through out the years final fitting sanding and finish required |
| Winchester | XTR | Winchester M/1200 Stk | Stocks will need final fitting sanding and finish |
| Winchester | XTR 94 or 94 XTR | Winchester 94. | All models we offer are for straight grip design due to variations through out the years final fitting sanding and finish required |
| Winchester | 37 | Winchester 37 | Fitting sanding and finish is needed |
| Winchester | 37A | Winchester 37 | Fitting sanding and finish is needed |
| Worthington | Dbl | Stevens 311. | Confirm if type 1 or type 2 in cross reference guide or 315 or 515 series |
| Worthington | Sideplate model | American Dbl/ Crescent Dbl (side plate model) | Final fitting of receiver, trigger guard, and action will be needed along with sanding and finish. |
| Yugoslavian | M24 | Yugo Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Yugo Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Yugoslavian | M47 | Yugo Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Yugo Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Yugoslavian | M48 | Yugo Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Yugo Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |
| Yugoslavian | M48A | Yugo Mauser | confirm receiver ring and center to center on action screws match up, to what is on the website for Yugo Mauser. Bolt cut will be needed and possible relief cut for safety, barrel channel may need work depending on contour of barrel |

